Available online at www.sciencedirect.com

SCIENCE DIRECT®

Aquaculture 245 (2005) 337–338

Aquaculture

www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 245

VOL. 245 NOS. 1–4 **4 March 2005**

Diseases

Differential resistance to koi herpes virus (KHV)/carp interstitial nephritis and gill necrosis virus (CNGV) among common carp (*Cyprinus carpio* L.) strains and crossbreds
Y. Shapira (Rehovot, Israel), Y. Magen, T. Zak (MP Hof HaCarmel, Israel), M. Kotler (Jerusalem, Israel), G. Hulata (Bet Dagan, Israel) and B. Levavi-Sivan (Rehovot, Israel) 1

A question of temperature related differences in plasma oxolinic acid concentrations achieved in rainbow trout (*Oncorhynchus mykiss*) under laboratory conditions following multiple oral dosing
R. Coyne, Ø. Bergh (Bergen, Norway), P. Smith (Galway, Ireland) and O. Samuelsen (Bergen, Norway) 13

Variation of Atlantic salmon families (*Salmo salar* L.) in susceptibility to the sea lice *Lepeophtheirus salmonis* and *Caligus elongatus*
K.A. Glover (Bergen, Norway), T. Aasmundstad (Kyrksæterøra, Norway), F. Nilsen (Bergen, Norway), A. Storset (Kyrksæterøra, Norway) and Ø. Skaala (Bergen, Norway) 19

Transcriptional and translational expression profile of a white spot syndrome viral (WSSV) gene in different organs of infected shrimp
N. Rout, T. Citarasu, R. Ravindran and V. Murugan (Chennai, India) 31

Genetics

Sex ratios of triploids and gynogenetic diploids induced in the hybrid sturgeon, the bester (*Huso huso* female×*Acipenser ruthenus* male)
N. Omoto, M. Maebayashi, S. Adachi, K. Arai and K. Yamauchi (Hokkaido, Japan) 39

Two-way selection for muscle lipid content in pan-size rainbow trout (*Oncorhynchus mykiss*)
E. Quillet, S. Le Guillou (Cedex, France), J. Aubin (Sizun, France) and B. Fauconneau (Cedex, France) 49

Construction of AFLP-based genetic linkage map for Zhikong scallop, *Chlamys farreri* Jones et Preston and mapping of sex-linked markers
L. Li, J. Xiang, X. Liu, Y. Zhang, B. Dong and X. Zhang (Qingdao, PR China) 63

Husbandry and Management

Carp farming potential in Barhatta Upazilla, Bangladesh: a GIS methodological perspective
M.A. Salam, N.A. Khatun and M.M. Ali (Mymensingh, Bangladesh) 75

Depuration rates and the sensory threshold concentration of geosmin responsible for earthy-musty taint in rainbow trout, *Onchorhynchus mykiss*
R.F. Robertson (Aberdeen, UK), K. Jauncey (Stirling, UK), M.C.M. Beveridge (Perthshire, UK) and L.A. Lawton (Aberdeen, UK) 89

Improving gonad colour and somatic index in the European sea urchin *Paracentrotus lividus*
M. Shpigel (Eilat, Israel), S.C. McBride (Eureka, CA), S. Marciano, S. Ron (Eilat, Israel) and A. Ben-Amotz 101

Tolerance of *Penaeus* (*Marsupenaeus*) *japonicus* embryos to ozone disinfection
M.J. Sellars, G.J. Coman (Cleveland, Qld, Australia) and D.T. Morehead (Taroona,Tas., Australia) 111

Growth and heterosis of hybrids of two closely related species of Pacific sea urchins (Genus *Echinometra*) in Okinawa
M.A. Rahman, T. Uehara (Okinawa, Japan) and J.M. Lawrence (Tampa, FL, USA) 121

The use of inert artificial commercial food sources as replacements of traditional live food items in the culture of larval shrimp, *Farfantepenaeus aztecus*
C.B. Robinson, T.M. Samocha, J.M. Fox, R.L. Gandy and D.A. McKee (Corpus, Christi, TX, USA) 135

Effects of lactic acid bacteria cultures on pathogenic microbiota from fish
J.A. Vázquez, M.P. González and M.A. Murado (Galicia, Spain) 149
Effects of culture density on growth and broodstock management of the cuttlefish, *Sepia officinalis* (Linnaeus, 1758)
M. Correia, P.M. Domingues, A. Sykes and J.P. Andrade (Faro, Portugal) 163
Meat color evaluation and pigment levels in bullfrog (*Rana catesbeiana*) slaughtered by different methods
E.M. Ramos, L.A.M. Gomide, P.R. Fontes, A.L.S. Ramos (Viçosa-MG, Brasil) and L.A. Peternelli (UFV, Brasil) 175

Nutrition

Growth, development, and survival of larval *Mithraculus sculptus* (Lamark) and *Mithraculus forceps* (A. Milne Edwards) (Decapoda: Brachyura: Majidae): economically important marine ornamental crabs
A.L. Rhyne (Melbourne, FL, USA), G. Penha-Lopes (Melbourne, FL, USA; Lisboa, Portugal) and J. Lin (Melbourne, FL, USA). 183
Arachidonic acid enriched live prey induces albinism in Senegal sole (*Solea senegalensis*) larvae
M. Villalta, A. Estévez (Tarragona, Spain) and M.P. Bransden (Hobart, Tas., Australia) 193
Evaluation of the digestible value of lupin and soybean protein concentrates and isolates when fed to rainbow trout, *Oncorhynchus mykiss*, using either stripping or settlement faecal collection methods
B. Glencross, D. Evans, (North Beach, Crawley, WA, Australia) K. Dods, P. McCafferty (Crawley, East Perth, WA, Australia) W. Hawkins, R. Maas and S. Sipsas (Cramey, South Perth, WA, Australia) 211
Effects of temperature, density, and diet on development, survival, settlement synchronism, and fatty acid profile of the ornamental shrimp *Lysmata seticaudata*
R. Calado, J. Figueiredo (Cascais, Portugal), R. Rosa, M.L. Nunes (Lisboa, Portugal) and L. Narciso (Cascais, Portugal) 221
Activities of selected digestive enzymes during larval development of large yellow croaker (*Pseudosciaena crocea*)
H. Ma (Qingdao, PR China), C. Cahu, J. Zambonino (Plouzané, France), H. Yu, Q. Duan (Qingdao, PR China), M.-M. Le Gall (Plouzané, France) and K. Mai (Qingdao, PR China) 239
Improved growth rate and disease resistance in farmed *Haliotis midae* through probiotic treatment
B.M. Macey and V.E. Coyne (Rondebosch, South Africa) 249
Effects of *n*-3 HUFA content in broodstock diet on spawning performance and fatty acid composition of eggs and larvae in *Plectorhynchus cinctus*
Y.-y. Li, W.-z. Chen, Z.-w. Sun, J.-h. Chen and K.-g. Wu (Guangdong, China) 263
Growth and morphological changes in the digestive tract of rainbow trout (*Oncorhynchus mykiss*) and pacu (*Piaractus mesopotamicus*) due to casein replacement with soybean proteins
T. Ostaszewska (Warsaw, Poland), K. Dabrowski (Columbus, Ohio, USA; Olsztyn, Poland), M.E. Palacios (Columbus, Ohio, USA), M. Olejniczak and M. Wieczorek (Warsaw, Poland) 273

Physiology and Endocrinology

The influence of oocyte maturational stage on hatching and triploidy rates in hybrid (bester) sturgeon, *Huso huso*×*Acipneser ruthenus*
N. Omoto, M. Maebayashi, S. Adachi, K. Arai and K. Yamauchi (Hokkaido, Japan) 287
Growth differences among first and second generation hybrids of domesticated and wild rainbow trout (*Oncorhynchus mykiss*)
W.E. Tymchuk and R.H. Devlin (West Vancouver, BC, Canada) 295
cDNA cloning and expression analysis of a cyclooxygenase-2 from sea bass (*Dicentrarchus labrax* L.) after vaccination
F. Buonocore, E. Randelli, D. Casani, M. Mazzini, I. Cappuccio (Viterbo, Italy), C.J. Secombes (Scotland, UK) and G. Scapigliati (Viterbo, Italy) 301
Hemolymph vitellogenin levels during final maturation and post-spawning in the female kuruma prawn, *Marsupenaeus japonicus*
D. Tahara (Fukui, Japan), K. Suitoh (Aichi, Japan) and H. Hattori (Fukui, Japan) 311
Cultivation of the brown alga *Hizikia fusiformis* (Harvey) Okamura: enhanced seedling production in tumbled culture
S.J. Pang (Qingdao, China), L.T. Chen, D.G. Zhuang (Zhejiang, China), X.G. Fei (Qingdao, China) and J.Z. Sun (Zhejiang, China) 321

Book Review

Freshwater Fishes in Britain, the Species and their Distribution
S.J. de Groot (Santpoort-Zuid, The Netherlands) 331

Erratum

Erratum to "Growth, survival and mandible development in the larvae of the shortfin silverside *Chirostoma humboldtianum* (Valenciennes) (Atheriniformes: Atherinopsidae) under laboratory conditions" [Aquaculture 242 (2004) 689–696]
G. Figueroa-Lucero, O. Meza-González, M.C. Hernández-Rubio, I.d.l.A. Barriga-Sosa, A. Rodríguez-Canto and J.L. Arredondo-Figueroa (México, Mexico) 333

Contents of *Aquaculture*, Volume 245 337